No. L. 5534—Ml. 106-45-22, dated Bangalore, the 20th December 1945.

In exercise of the powers vested in them, under Sub-Section 4 of Section 228 of the Mysore City Municipalities Act, 1933, as amended from time to time, Government are pleased to make the following amendments in the rules for the Regulation of Water-supply in Bangalore City, issued with notification No. L. 2153—Ml. 105-34-9, dated 26th August 1939 :—

AMENDMENTS.

1. In Rule 44, add the words,

"or any smaller number of completed months", in line 5 after the words "last six months."

2. The Rule after amendment will read as follows :—

"If, on examination, any meter is found to be out of order, the consumption during the period since the last reading till the meter is repaired or a new meter is installed, shall be calculated at the average daily consumption of the last six months or any smaller number of completed months, during which in the opinion of the Executive Engineer, Water-supply Division, Bangalore, the meter was recording properly and the consumption of water was not for any reason, abnormal."

J. B. MALLARADHYA, *Rev. Secy.*

No. C. 777—Co. 11-45, dated Bangalore, the 26th December 1945.

In exercise of the powers conferred by sub-rule (2) of Rule 81 of the Defence of India Rules, as applied to Mysore, the Government of His Highness the Maharaja are pleased to direct that the following further amendment shall be made in the Rubber Control and Production Order, 1942, namely :—

In clause 20 of the said Order, after the words "Every dealer approved", the words "or licensed" shall be inserted.

E. V. GANAPATI IYER, *Civil Supplies Secy.*

Printed by the Superintendent at the Government Press, Bangalore.